

Solo-Jec[®] 9

Canine Vaccine

Description

Combination of immunogenic, attenuated strains of Canine Distemper, Canine Adenovirus Type 2 (CAV-2), Canine Parainfluenza, and Canine Parvovirus Type 2b, propagated in cell line tissue cultures. The diluent contains killed antigens for *Leptospira Canicola-Grippotyphosa-Icterohaemorrhagiae-Pomona* bacterial extract. The CAV-2 fraction cross-protects against respiratory infection caused by infectious canine hepatitis (CAV-1).

Features

- Protects against nine canine diseases in one vaccine
- Convenient single dose package with syringe
- Protects against Canine Parvovirus Type 2b and canine adenovirus Type-2 (CAV-2)
- Protects against four types of leptospirosis as recommended by veterinarians.

Benefits

- Convenient, ready-to-use vaccine
- Protects against multiple diseases in one vaccine

Advantages

- Broad protection against nine diseases for puppies and dogs in a 1 mL dose.
- Protection against the 4 most common types of canine leptospirosis not found in vaccines offering 2-way protection.

Dosage & Administration

1 mL injected subcutaneously. Open syringe by twisting or tapping the cap against a hard surface to break the heat weld. Prepare the vaccine by injecting the diluent into the vial containing the desiccated vaccine cake. Shake well. Withdraw entire contents into the syringe. Thoroughly prepare injection site with antiseptic. Lift the loose skin behind the neck or behind front leg and insert needle. Inject entire contents of syringe. Do not inject directly into blood vessel.

A recommended vaccination schedule should start at or about 6 weeks of age.

- **Puppies 16 weeks or younger:**
Vaccinate healthy puppies at 2-3 week intervals until at least 16 weeks of age.
- **Dogs over 12 weeks:**
One dose initially and a second dose 2 to 3 weeks later. Annual revaccination with a single dose is recommended.

Precautions

Store out of direct sunlight at 35°-45°F (2°-7°C). Use entire contents when first opened. Burn containers and all unused contents. Allergic (anaphylactoid) reactions may occur.

Antidote: Epinephrine

Do not freeze.

Uses

Solo-Jec[®] 9 is recommended for the vaccination of healthy dogs 6 weeks of age or older as an aid in the prevention of disease caused by canine distemper, infectious canine hepatitis, canine adenovirus type 2, canine parainfluenza, and canine parvovirus (CPV), *Leptospira canicola*, *icterohaemorrhagiae*, *grippotyphosa* and *pomona*.

Warning

Only vaccinate healthy animals. Animals incubating any disease or stressed due to shipping, malnutrition, or parasitism may not achieve or maintain an adequate immune response.

Product Information

Name	Code	Size
Solo-Jec [®] 9	15261000	1 mL
	15271000	25x1



Highlights:

Convenient, ready-to-use package
Protection against 9 canine diseases
in one vaccine

Protects against *Lepto*, *canicola*,
Lepto. icterohaemorrhagiae, *Lepto.*
grippotyphosa and *Lepto. pomona*